ESIC 2024 Posted: 15/07/2024

The Importance of Safe Disposal of Medical Waste in Medical Laboratories

Soad M.Alghamdi¹, Fawaz O.Almalki², Mariam A.Aldossary², Ruqaiyah A.Al Salam², Alia A.Al thuab², Manal A.Al-Salam³, Layla A.Alturki², Lamees A.Aldossary⁴, Ahmed S.Aldossary⁴, Tahani S.Raslan¹

Laboratory specialist at regional laboratory in Dammam¹
Laboratory technician at regional laboratory in Dammam²
Laboratory technician at prince Mohammed bin Fahed general hospital³
Laboratory specialist at ministry of health Branch in Eastern Province⁴

Abstracts

The study aims to highlight the importance of disposing of medical waste in medical laboratories in a safe manner, knowing the type of medical waste in laboratories, the type of containers used for medical waste in medical laboratories, and how to dispose of medical waste. It was then distributed to male and female health practitioners in medical laboratories in the city of Dammam via mobile phone on the social networking program (WhatsApp) in the city of Dammam, and responses to the questionnaire questions were obtained via Google Drive. I conclude from this study that health practitioners have complete knowledge of medical waste and its types, and the types of medical containers in which medical waste is placed, and that they have a written guide on how to dispose of it, as there is a complete guide on how to dispose of it.

1. Introduction

Medical waste is waste that is potentially contagious or biodegradable (1). Medical waste may contain waste produced from a medical facility or laboratory and waste created from examination centers and laboratories that consist of biomolecules or organic organisms that are not allowed to be emitted into media. As shown below, severe materials are looking for medical waste that must be disposed of, whether they are polluted or not, due to the possibility of them being contaminated with blood and causing injury when damaged incorrectly and incorrectly. Medical waste is a kind of biological waste. Medical waste is generally qualified as any solid/liquid waste that is generated in the course of diagnosis, curing, or immunization of human beings, or animals, in research pertaining to, or in the production or testing of biological materials (2), including but not limited to blood-soaked bandages;-culture dishes and other glass wares; careless surgical gloves after surgery;-discarded surgical instruments scalpels, needles used to give shots or draw blood-cultures, stocks, and swabs used to fertilize cultures; taken away body organs tonsils,

appendices, limbs, etc - (3). Though not all medical waste is dangerous some waste from healthcare or medical facilities is a high risk, critical, and can impact human health as well as contaminate the environment. In a working environment where poor healthcare waste management practices are observed, the presentation to infectious wastes by healthcare workers, patients, and clients could, in turn, differentiate infections due to blood-borne pathogens (4) (5)(6) (7). Medical waste may be rigid or fluid. Examples of infectious medical waste include polluted blood, sharps, unwanted microorganisms, discarded body parts, other human and animal tissues, used bandages and gloves, and other medical tools that may have been exposed to direct contact. Blood or body fluids. Laboratory waste that displays one of the above-mentioned characteristics, and sharps waste, includes contaminated needles, scalpels, whether used or unused that were discarded, and other tools capable of penetrating the skin. Disposing of this waste is an environmental issue, as many medical wastes fall under the classification of hazardous or infectious, which may lead to many infectious illnesses. A 1990 US Agency for Toxic Substances and Disease Registry report concluded that the general public was unlikely to be adversely influenced by medical waste bearded in traditional health care. It was found, however, that medical waste from this field may lead to injuries and exposure to risks for doctors, nurses, and all workers in healthcare institutions through contact with medical waste resulting from professional activity. Moreover, there is an opportunity for the general public to be exposed to the dangers of this waste, such as exposure to illicitly used needles outside healthcare institutions or in-home healthcare situations (8). Medical waste should be collected in leak-proof containers that are strong enough to prevent breakage during handling. The biological hazard symbol is printed on the containers, and red containers are often used. Sharp tools are disposed of by collecting them in special containers, often called needle boxes. The medical waste management process requires special equipment to meet safety standards (9) and (10). Recommended tools that must be available as a minimum include a fume hood and primary and secondary containers to block overloading from leaking. Even under the fume hood, there are containers containing chemical contaminants that must be kept closed when not in use. The lid of some containers is usually kept open. This permits the chemicals to evaporate into the surrounding atmosphere, which is then inhaled by laboratory workers. To keep the health and safety of workers as well as civilians in the neighborhood of this work environment, waste, and equipment must be managed in an appropriate manner, such as the use of Perkel caps in Europe, and must be used in any department that handles chemical waste.

2. Material and Methods:

The study started in (the city of Dammam in Saudi Arabia), began writing the research and then recording the questionnaire in February 2024, and the study ended with data collection in June 2024. The researcher used the descriptive analytical approach that uses a quantitative or qualitative description of the social phenomenon (the importance of safe disposal of medical waste in medical laboratories) The independent variable (a statement of the list of medical waste from medical facilities) and the dependent variable (a statement of the type of medical waste disposed of from medical laboratories). This kind of study is characterized by analysis, reason, objectivity, and reality, as it is concerned with individuals and societies, as it studies the variables

ESIC | Vol. 8.1 | No. S3 | 2024 285

Soad M.Alghamdi, Fawaz O.Almalki, Mariam A.Aldossary, Ruqaiyah A.Al Salam, Alia A.Al thuab, Manal A.Al-Salam, Layla A.Alturki, Lamees A.Aldossary, Ahmed S.Aldossary, Tahani S.Raslan

and their effects on the health of the individual, society, and consumer, the spread of diseases and their relationship to demographic variables such as age, gender, nationality, and marital status. Status, occupation (11), And use the Excel 2010 Office suite histogram to arrange the results using: Frequency tables Percentages (12). A questionnaire is a remarkable and helpful tool for collecting a huge amount of data, however, researchers were not able to personally interview participants on the online survey, only answered the questionnaire electronically, it consisted of ten questions, all of which were closed.

3. Result and discussion:

The percentage of consenting participants in the research was 100%, and their age from 25-34 years was 31.3%, and from 35-44 years their percentage was 37.8%, and from 45-54 years old their percentage was 24.9%, and from 55-60 years their percentage was 60%, and the percentage of males was 70%. 1%, the percentage of females was 29.9%, the nationality of the participants was 88.4% Saudis, and 11.6% were non-Saudis. From a professional standpoint, the percentage of technicians was 81.1%, and administrators were 18.9%. In terms of education, the percentage of those holding an intermediate certificate was 1%, those holding a high school diploma were 5%, a diploma was 18.9%, 55.2% were university graduates, 13.4% were master's degree holders, and 6.5% were doctoral degree holders. When moving to the questionnaire questions, they were as follows: The first question is: Do you have a written and documented guide on how to dispose of medical waste for medical laboratories? The answer was as follows: Yes, 64.2%, and No, 35.8%. As for the second question, it was: do you know how to dispose of medical waste from medical laboratories? Yes 80.1%, and no 19.9%. The third question: Have you undergone training courses on how to dispose of medical waste for medical laboratories? Yes, 52.2%, and No, 47.8%. The fourth question: do you know the meaning of medical waste for medical laboratories? Yes, 92%, and no, 8%. As for the fifth question: do you know the types of medical waste from medical laboratories? The answers were: yes, 81.9%, and no, 18.1%. The sixth question: do you know the types of medical waste containers for medical laboratories? Yes, 85%, and no, 15%. The seventh question: do you define how to deal with medical waste spilled on the floor of the medical laboratory? Yes, 81%, no 19%. The eighth question: is there a relationship between medical waste and the application of quality standards in medical laboratories? The answers were yes 92.5%, and no 7.5%. The ninth question: is there a medical waste room close to the medical laboratory? Yes, 81.4%, and no 18.6%. The tenth question: Are there data or records of the destruction of medical waste in the medical laboratory? The answer was yes 79.9%, and no 20.1%.(table.no.1)(figure No.1)

Table.no.1: percentage of male and female participants in the questionnaire

males females 70%. 1 29.9%




Figure NO.1: Opinions of health practitioners and practices on how to safely dispose of laboratory medical waste

4. Conclusion:

The presence of a written and documented guide on how to dispose of medical waste in medical laboratories? Yes 80.1%, obtaining training courses on how to dispose of medical waste in medical laboratories by 52.2%, the meaning of medical waste in medical laboratories 92%, knowing the types of medical waste in medical laboratories 81.9%, Knowledge of the types of medical waste containers for medical laboratories 85%, how to deal with medical waste spilled on the floor of the medical laboratory 81%, there is a relationship between medical waste and the application of quality standards in medical laboratories 92.5%, the presence of a medical waste room close to the medical laboratory 81.4% and the presence of data Or records of medical waste destruction in medical laboratories Yes 79.9%.

Acknowledgment:

To start with, I would like to Praise God and thank Dr. Anas S. Dablool, from Umm Al-Qura University (Public Health Department, Faculty of Health Sciences Al-leeth), Mecca, Saudi Arabia. And the researchers who make the project come to light.

WORKS CITED

Reinhardt, Peter A., and Judith G. Gordon. 1991. Infectious and medical waste management. Chelsea, Mich: Lewis Publishers

Occupational safety and health administration, (1991) OSHA Bloodborne Pathogens Standard Of 1991

Medical Waste Tracking Act (1988): Report for H.R.3515>Medical waste Tracking Act of 1988, as approved by

Johannessen LM, Dijkman M, Bartone C, Hanrahan D, Boyer MG, Chandra C, (2000): Health Care Waste

Management Guidance Note. Washington DC: World Bank; May 2000

ESIC | Vol. 8.1 | No. S3 | 2024 287

- Soad M.Alghamdi, Fawaz O.Almalki, Mariam A.Aldossary, Ruqaiyah A.Al Salam, Alia A.Al thuab, Manal A.Al-Salam, Layla A.Alturki, Lamees A.Aldossary, Ahmed S.Aldossary, Tahani S.Raslan
- Sawalem M, Selic E, Herbell JD, (2009): Hospital waste management in Lybia: A case study. Waste Management; 29: 1370-75.
- Pruss A, Giroult E, Rushbrook P, (1999): Safer management of wastes from health care activities. World Health Organization, Geneva,
- Akter N (2000): Medical waste Management Review Environmental Engineering program January 2000.
- The public health implications of medical waste: a report to Congress. Atlanta: US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry, 1990; document no. PB91-100271
- National Research Council Recommendations Concerning Chemical Hygiene in Laboratories". United States Department of Labor. Archived from the original on 01/06/2018. Accessed on 15/05/2013
- Container Signed Document 1203091.pdf "Guidance on Closed Containers" (PDF). Environmental Protection Agency. Archived from the original (PDF) on 05-18-2018. Viewed on 15/05/2013. {{WebCite}}: Check value |archivepath= (help)
- Alserahy, Hassan Awad, et al (2008), The thinking and scientific research, Scientific Publishing Center, King Abdul-Aziz University in Jeddah, the first edition
- Al Zoghbi, Muhammad and AlTalvah, Abas (2000), Statistical system understanding and analysis of statistical data, first edition, Jordon- Amman